

Reviewer Instructions for the Resource Management Strategies.

Thank you for taking the time to review the Resource Management Strategies; your thoughts and effort will improve the California Water Plan Update 2013. This March, these Resource Management Strategies are being circulated primarily amongst the active participants in the Water Plan process, our standing committees and caucuses. When your feedback is incorporated, it will be re-released to the broad public.

Given the short feedback period, and our plans for additional feedback later, we ask that you focus your reviews this round. We welcome feedback with an emphasis on:

- Please do not comment on grammar or formatting; these versions will receive more editing later this year;
- Please point out opportunities for updating the RMS. If you are aware of relevant new projects, legislation, or developments, it would be great to hear about those;
- Please also point out new technologies that are relevant to an RMS;
- Please make suggestions for simplifying the recommendations;
- If you have suggestions for metrics that could measure progress for an RMS, we would like to lay the groundwork to include those in the next Progress Report and the Water Plan Update 2018.

Submit your feedback to the California Water Plan email address: cwpcom@water.ca.gov by April 15th. They'll be given to our Subject Matter Experts to incorporate into their RMS. If you have any questions, please contact Megan Fidell at mfidell@water.ca.gov.

Chapter Details — Draft

Authors or volume leads, please provide context and input to the publications staff in the space below. [Any notes to authors from the editing staff are provided within the text in gray highlighting or as comments.]

<i>Volume and chapter number</i>	Volume 3, Chapter 2, “Agricultural Water Use Efficiency”
<i>Management objective</i>	Reduce Water Demand
<i>Contact person</i>	Fethi Ben Jamaa
<i>Notes to editor</i>	<i>Type any notes to the editor here (i.e., to mention any information currently missing or to confirm any unusual spellings/facts that may generate queries from the editor otherwise).</i>
<i>Design/graphics information</i>	<i>Type any notes about the status of graphics, or any suggestions about photos/figures, here.</i>
<i>Box information</i>	<p>Box 2-2 from Update 2009 has been eliminated (it was a list of abbreviations, which will be generated anew by publications staff for Update 2013). Other boxes' numbering has been updated as a result, as has the body text. There are now Boxes 2-1 through 2-6:</p> <p>Box 2-1, “Net Water Savings and Applied Water Reduction”</p> <p>Box 2-2, “Agricultural Water Management Efficient Water Management Practices (EWMPs)”</p> <p>Box 2-3, “Examples of Irrigation Efficiency Improvement”</p> <p>Box 2-4, “Regulated Deficit Irrigation”</p> <p>Box 2-5, “Projection Level 6”</p> <p>Box 2-6, “Interrelation between On-Farm and Regional Efficiencies and Role of Water Reuse”</p>
<i>Table information</i>	<p>This chapter has three related tables:</p> <p>Table 2-1, “Trends in Irrigation Method Area (in Million Acres)”</p> <p>Table 2-2, “On-Farm and Water Supplier Recoverable and Irrecoverable Flow Reductions”</p> <p>Table 2-3, “Projects Funded through Water Use Efficiency Grant Cycles”</p>
<i>Glossary entries</i>	<i>Type any terms/definitions here that you would like to see included in the glossary. Please ensure they are defined in the text of this chapter, too.</i>
<i>Captions</i>	<i>Type any captions for known photos here. Include the image's file name or description of photo.</i>
<i>Recommended pull quotes</i>	<i>Suggest pull quotes for this chapter here. (Pull quotes are bits of text that will be repeated in margins or elsewhere on the page, in a different font/size from the rest of the text. Typically, they should be no more than a couple of sentences and should be interesting/intriguing enough to serve as an additional entry point to pull readers in.) (Copy and paste pull quotes from the text of the chapter.)</i>
<i>Column notes</i>	<i>If additional information needs to appear in the margins (e.g., directional notes to readers, perhaps telling them where to find related content in other sections of Update 2013), type that information here and indicate what portion of the chapter it should accompany.</i>

Chapter 2. **Agricultural Water Use Efficiency**

The Agricultural Water Use Efficiency Strategy describes the use and application of scientific processes to control agricultural water delivery and use to achieve a beneficial outcome. It includes, 1) an estimation of net water savings resulting from implementation of efficiency measures as expressed by the ratio of output to input; 2) resulting benefits; and 3) strategies to achieve efficiency and benefits.

The estimation of net water savings is the reduction in the amount of water used that becomes available for other purposes, while maintaining or improving crop yield and agricultural productivity. Net water savings (discussed in Box 2-1) recognizes 1) uptake and transpiration of water for crop water use, 2) the role, benefits, and quantity of applied water that is recoverable and reusable in the agricultural setting, and 3) the quantity of irrecoverable applied water that flows to salt sinks, such as the ocean and inaccessible or degraded saline aquifers, or evaporates to the atmosphere, and is unavailable for reuse. The benefits, in addition to water savings, may include water quality improvements, environmental benefits, improved flow and timing, and often increased energy efficiency.

The strategy to achieve agricultural water savings and benefits primarily includes improvements in technology and management of water at various special scales including on-farm, at the irrigation district level, and at a regional scale. The strategy may be dependent on an array of factors such as labor, market, demographics, changes in government policies, funding availability, environmental stresses, desire to increase yield, education, energy, water supply development, water delivery systems, legal issues, economics, and land use issues.

A list of best management practices (other than irrigation technology and management of water) that contribute to agricultural water use efficiency are included in Chapter 20, Agricultural Lands Stewardship. This narrative presents the costs and benefits of efficiency improvements in on-farm irrigation equipment, crop and farm water management, and water supply management and distribution systems.

Agricultural Water Use Efficiency Efforts in California

Agriculture is an important element of California's economy. According to the California Department of Food and Agriculture, the state's 81,500 farms and ranches received \$34.8 billion for their output in 2009, the third highest recorded behind only 2008 and 2007. California remained the No. 1 state in cash farm receipts in 2009, with its \$34.8 billion in revenue representing 12.3 percent of the U.S. total. The state accounted for 16.5 percent of national receipts for crops, and 6.5 percent of the U.S. revenue for livestock and livestock products. California's agricultural abundance includes more than 400 commodities. The state produces nearly half of U.S.-grown fruits, nuts and vegetables. California agriculture generates approximately \$100 billion in related economic activity. California farm and closely related processing industries employ 7.3 percent of the state's private sector. The Department of Water Resources (DWR) estimated 2010 irrigated acreage was 8.13 million acres, excluding double cropping. The irrigated acreage changes from year-to-year. Agricultural water usage varies significantly by year, depending on drought conditions. In a typical year, agriculture will irrigate about 9.6 million acres with 34 million acre-feet of water, or about a third of available surface water supplies.

In California, growers and water suppliers implement state-of-the-art design, delivery, and management practices to increase production efficiency and conserve water. As a result, they continue to make great strides in increasing the economic value and efficiency of their water use. Among the indicators of agricultural water use efficiency improvement is that the real inflation-adjusted gross revenue for California agriculture increased about 84 percent between 1967 and 2007, from \$19.9 billion (in 2007 dollars) to \$36.6 billion. During that period the total California crop applied water use fell by 14.6 percent, from 31.2 million acre-feet in 1967, to 26.66 million acre-feet in 2007. As a result, the “economic efficiency” of agricultural water use in California has more than doubled in 40 years, from \$638/AF (2007 dollars) in 1967 to \$1,373/AF in 2007, where most of the increase has occurred since 2000. Between 2000 and 2007 real gross agricultural revenue per acre-foot of applied water increased about 31 percent, from \$1,048/AF to \$1,373/AF.

It is important however to note that the economic output of California agriculture, expressed either in terms of crop yield or the dollar value of produced crops, is a function of a multitude of variables to include: water quality, soil fertility, fertilizer applications, insect infestation, plant diseases, weather conditions, cultural practices, management, crop variety, trade and market conditions, as well as many other physical, biological, and socio-economic factors. Given the complex factors affecting agricultural productivity, any economic output indicator can only be used as an overall gauge of the efficiency and competitiveness of California’s agriculture and its agribusiness establishment in general and can in no mean be exclusively linked to the efficiency of water use.

The Agricultural Water Suppliers Efficient Water Management Practices Act of 1990 (AB 3616) and the federal Central Valley Project Improvement Act of 1992 (CVPIA) established guidance for improving agricultural water use efficiency. As of July 2009, the Agricultural Water Management Council (AWMC), through a Memorandum of Understanding (MOU), united 79 agricultural water suppliers and four environmental organizations in an effort to improve water use efficiency through implementation of efficient water management practices (AWMC, 1999). AWMC recognizes and tracks water supplier water management planning and implementation of cost-effective efficient water management practices through a review and endorsement procedure. The signatory agricultural water suppliers voluntarily commit to implement locally cost-effective management practices (see Box 2-2). Agricultural water supplier signatories represent more than 4.6 million acres of retail irrigated acreage and a total of 5.86 million acres of agricultural land. Sixty-six signatories to the MOU have submitted water management plans, six signatories are not subject to development and submittal of Water Management (WM) Plans, and the remaining seven signatories are in the process of development and submittal of their WM Plans. All submitted WM Plans have council-endorsed plans.

As part of a comprehensive package of water legislation in the 2009-2010 legislative session, the Agricultural Water Management Planning Act in SBx7 7 requires agricultural water suppliers who provide water to 10,000 or more irrigated acres to develop and adopt a water management plan with specified components, and implement cost-effective efficient water management practices. But any agricultural water supplier that provides water to less than 25,000 irrigated acres shall not implement the requirement of the bill unless sufficient funding has been provided to that water supplier to implement its provisions.

The bill’s requirements also include:

- Agricultural water suppliers are required to submit their water management plan

to DWR.

- Agricultural water suppliers are required, on or before July 31, 2012, to implement efficient water management practices including the following critical efficient water management practices: 1) Measure the volume of water delivered to customers with sufficient accuracy to comply with provisions of the bill, and 2) Adopt a pricing structure for water customers based on at least in part on quantity of water delivered.
- Agricultural water suppliers are required to use a standardized form to report which efficient water management practices have been implemented and are planned to be implemented, an estimate of water use efficiency improvements that have occurred since the last report, and an estimate of water use efficiency improvements estimated to occur five and 10 years in the future. If an agricultural water supplier determines that an efficient water management practice is not locally cost effective or technically feasible, the supplier shall submit information documenting that determination.
- DWR is required, in consultation with the State Water Resources Control Board (State Water Board), the California Bay-Delta Authority (CBDA) or its successor agency, the State Department of Public Health, and the Public Utilities Commission, to develop a single standardized water use reporting form to meet the water use information needs of each agency.
- DWR is required, in consultation with the State Water Board, to submit to the Legislature a report on the agricultural efficient water management practices that have been implemented and are planned to be implemented and an assessment of the manner in which the implementation of those efficient water management practices has affected and will affect agricultural operations, including estimated water use efficiency improvements.
- DWR is required to make available all submitted water management plans on DWR's web site.
- DWR is also required, in consultation with the AWMC, academic experts, and other stakeholders, to develop a methodology for quantifying the efficiency of agricultural water use. Alternatives to be assessed, shall include, but not be limited to, determination of efficiency levels based on crop types or irrigation system distribution uniformity.

As noted, SBx7-7 requires implementation of specific efficient water management practices (EWMPs) for agricultural water use. Two of the EWMPs were deemed as critical for agricultural water suppliers to implement them: (1) measuring the volume of water delivered to customers with sufficient accuracy (the subject of this regulation), and (2) adopting a pricing structure for water customers based at least in part on quantity delivered. The legislations required DWR to adopt regulation that provides a range of water measurement options that would allow agricultural water suppliers to implement the aforementioned critical EWMPs and comply with the reporting of aggregate farm-gate water deliveries. Subsequently, DWR convened for an agricultural stakeholders committee (ASC) and a stakeholders' water measurement sub-committee.

(Note: must finish update.) Based on input from the ASC, stakeholders, and the general public, DWR adopted an emergency agricultural water measurement regulation that went in effect on July 5, 2011 and is set to expire on 1/4/2012. DWR followed by filing for a permanent regulation through a regular rulemaking process...

It should be noted that in addition to the efficient water management practices (EWMPs) listed in Box 2-2, there are important cultural practices such as soil management, cover crops, changes in tillage practices, land management practices, winter storm water capture and use, dry farming and rain-fed farming that can reduce applied water and increase water use efficiency. As per SB X7-7, Water Code Sections 10608.48(h) and (g) state that DWR may update the EWMPs in consultation with the AWMC, USBR, and SWRCB. On or before December 31, 2013, DWR shall also submit a report to the Legislature on agricultural EWMPs that have been and are planned to be implemented and an assessment of the manner in which the implementation of the EWMPs has affected and will affect agricultural operations an estimate of water use efficiency improvements. Subsequent reports will be prepared in 2016 and 2021. Additionally, DWR shall also prepare and submit to the Legislature a report summarizing the status of the submitted Agricultural Water management Plans, their outstanding elements, effectiveness of promoting efficient water management practices (EWMPs) and recommendations relating to proposed EWMPs changes, as appropriate. Similar reports will subsequently be submitted in years ending in six and one. (Water Code sections 10845(a) through (c)).

Growers invest in on-farm water management improvements to stay economically competitive. Likewise, local water suppliers invest in cost-effective, system-wide water management improvements in order to provide quality service at a fair and competitive price. In addition to water savings, efficiency measures can provide water quality and flow-timing benefits. The CALFED Bay-Delta Program's (CALFED) Quantifiable Objectives (QOs) and Targeted Benefits (TBs) — which can be local, regional, or statewide — are numeric targets that address CALFED objectives of water supply reliability, water quantity, water quality, flow and timing for ecosystem improvements, and other benefits such as energy efficiency. Due to the complexity of QOs and lack of technical information on QOs for different CALFED solution regions, DWR has increasingly emphasized TBs and has incorporated TBs into its water management planning and implementation efforts as well as emphasizing TBs through the grant program.

Substantial financial support for research, development, and the demonstration of efficient water management practices in agriculture comes from the agricultural industry and State and federal efforts. Support also comes from the early adopters of new technology who often risk their crops, soils, and money when cooperating to develop and demonstrate technology innovations. Further investments in research and demonstration are critical, especially in support of university-based research, field station studies, and cooperative extension demonstration projects.

Improvements in agricultural water use efficiency primarily occur from three activities:


- Hardware. Improving on-farm irrigation systems and water supplier delivery systems
- Water management. Improving management of on-farm irrigation and water supplier delivery systems
- Crop water consumption. Reducing non-beneficial evapotranspiration


Hardware Upgrades


Due to water delivery system limitations, growers are often unable to apply the optimal amount of irrigation water. Water delivery system improvements such as integrated supervisory control and data acquisition systems (SCADA), canal automation, regulating reservoirs, and other hardware and operational upgrades, can provide flexibility to deliver water at the time, quantity, and duration required by the grower. At the on-farm level, many old and most new orchards and vineyards, as well as some annual fruits and vegetables, are irrigated using pressurized irrigation systems. Almost all trees and vines

established since 1990 are irrigated using micro-irrigation. Between 1991 and 2011, the crop area under micro irrigation in California grew from 1.26 million to 3.12 million acres, a 150% increase (see Table 2-1).

A survey of more than 10,000 growers in California (excluding rice, double cropping, dry-land, and livestock producers) was conducted by DWR Land and Water Use program (Orang et al., 2011) to investigate current trends in irrigation methods used statewide..... Results from the survey indicate that the land acreage irrigated by low-volume irrigation methods (drip and micro sprinklers) has increased by 16% percent between 2001 and 2011, while the acreage of land irrigated by surface irrigation methods has decreased by 13%.







Many growers use advanced irrigation systems for irrigation, fertilizer application, and pest management. Advanced technologies include geographic information system (GIS), global positioning system (GPS), and satellite crop and soil moisture sensing systems. These technologies allow growers to improve overall farm water management.

The use of pressurized irrigation systems, such as sprinkler, drip, and micro-spray, in addition to being energy intensive, often requires modernization of water supplier delivery systems to provide irrigation water at the time, quantity, and duration required by the grower. Increasingly, water suppliers are upgrading and automating their systems to enable accurate, flexible, and reliable deliveries to their customers. Also, suppliers are lining canals, developing spill recovery and tail water return systems, employing flow regulating reservoirs, improving pump efficiency, and managing surface water conjunctively with groundwater. With the advancement of both water supplier and on-farm water management systems, there is potential to improve irrigation efficiencies at both on-farm and water supplier levels.

Growers continue to make significant investments in on-farm irrigation system improvements, such as lining head ditches and using micro-irrigation systems. Many growers take advantage of mobile laboratory services to conduct in-field evaluation of irrigation systems. Once considered innovative technologies, these are now standard practice. In terms of future improvements, the California Polytechnic State University, San Luis Obispo, Irrigation Training and Research Center estimates that an additional 3.8 million acres could be converted to precision irrigation such as drip or micro-spray irrigation (Burt, et al., 2002). While this will not reduce crop water consumption, it can improve the

uniform distribution of water and reduce evaporation, thus allowing more efficient use of water. Research on drip irrigation of alfalfa has shown an applied water reduction of two to three percent with yields increasing from 19 to 35 percent, an increase in productivity of 30 percent with the same amount of applied water. Conversion of traditional irrigation systems to pressurized systems and installation of advanced technologies on water supplier delivery systems require more investment in facilities as well as use of additional energy that increases farm production costs and water supplier operational costs. The additional cost of such improvements is a challenge for many water suppliers. California Farm Water Coalition, based on industry contacts, reports that in the six-year period from 2003 through 2008, San Joaquin Valley farmers invested over \$1.5 billion in high efficiency irrigation equipment (not annualized cost).

Table 2-1 Trends in Irrigation Method Area (in Million Acres)


Irrigation method	1991		2001		2010		Change from 1991 to 2010	
	Area (MA)	% of total	Area (MA)	% of total	Area (MA)	% of total	Percent change in acreage and reduction/increase of area in million acres	
Gravity (furrow, flood)	5.54	67	4.04	50	3.53	43	-36%	-2.01 MA
Sprinkler	1.43	17	1.28	16	1.24	15	-13%	-0.19 MA
Drip/micro	1.26	15	2.69	33	3.12	39	+150%	+1.86 MA
Subsurface	0.05	1	0.15	2	0.24	3	+380%	+0.19 MA
Total	8.28	100	8.16	100	8.13	100	2.01MA reduction in gravity systems 1.86 MA increase in pressurized systems	


Source: DWR

Note: MA = million acres.

Trends in irrigation methods used vary by region; such variation is mainly linked to the type of crops grown. Where more fruit trees are grown, we see a larger increase in the use of drip and micro irrigation systems.

(Note: Following charts on the regional trends in irrigation method areas will be superimposed on the State's Hydrologic Regions Map.)





Water Management

Both on-farm and water supplier delivery systems must be managed to take advantage of new technologies, science, and hardware. Personal computers connected to real-time communication networks and local area networks allow transmission of data to a centralized location. These features enable water supplier staff to monitor and manage water flow and to log data. With such systems, the water supplier staff spends less time manually monitoring and controlling individual sites, allowing them to plan, coordinate system operation, and potentially reduce costs. Such systems improve communications and provide for flexible water delivery, distribution, measurement, and accounting.

Some of today's growers use satellite weather information and forecasting systems to schedule irrigation. Many growers employ evapotranspiration and soil moisture data for irrigation scheduling. Users generate more than 70,000 inquiries per year to the California Irrigation Management Information System (CIMIS), DWR's weather station program that provides Evapotranspiration (ET) data. Universities, water suppliers, and consultants also make this information available to a much wider audience via newspapers, Web sites, and other media.

Growers use many other water management practices. Furrow, basin, and border irrigation methods have been improved to ensure that watering meets crop water requirements while limiting runoff and deep percolation. Growers use organic or plastic mulch to reduce non-essential evaporation of applied water, minimize weed growth, and improve crop growth and productivity value. Agricultural land stewardship practices (see Chapter 20) also reduce water use and contribute to sound on-farm water management.

Reducing Evapotranspiration (ET)

ET is the amount of water that evaporates from the soil and transpires from the plant. Growers can reduce ET by reducing unproductive evaporation from the soil surface, eliminating weed ET, and shifting crops to plants that need less water, or reducing transpiration through deficit irrigation. In addition, some growers deficit irrigate their crops during water short periods and for agronomic purposes. Management practices such as mulching, use of cover crops, no-till and minimum tillage, and dust-mulching associated with dry farming reduce unnecessary evaporation from soil surfaces. Some of these management/cultural practices have energy conservation components as well.

Potential Benefits and Costs of Agricultural Water Use Efficiency

Several analyses have been performed since 2000 to quantify water savings and associated costs. The following is a summary of those analyses.

The CALFED Programmatic Record of Decision (ROD) estimates of 2000 estimated that efficiency improvements could result in a water savings (reduction in irrecoverable flows, also referred to as net water savings) ranging from 120,000 to 563,000 acre-feet per year (AFY) by 2030 at a cost ranging from \$35 to \$900 per acre-feet (CALFED, 2000a). The total cost of this level of agricultural water use efficiency to year 2030 is estimated at \$0.3 billion to \$2.7 billion, which includes \$220 million for lining the All-American Canal and Coachella Branch Canal. The cost estimates are derived from potential on-farm and water supplier efficiency improvements associated with savings in irrecoverable flows. Details of estimates and assumptions are in the CALFED Water Use Efficiency Program Plan (CALFED, 2000b).

The analysis was based on improving on-farm efficiency up to 85 percent. It was assumed that the achieved 85 percent on-farm efficiency would be maintained afterward. Technical, management, and hardware limitations to achieve high performance levels for irrigation systems restrict irrigation distribution uniformities and on-farm efficiencies up to 85 percent, beyond which a sustainable and healthy soil environment cannot be maintained. Higher than 85 percent irrigation efficiencies result in soil salinity, soil degradation, and loss of productivity.

The study also estimated a 1.6 MAF per year reduction in applied water (recoverable flows) that provide environmental and crop production benefits. The estimated water savings are from all hydrological regions as defined in the California Water Plans.

Estimates of water savings and benefits resulting from land retirement, crop shifts, crop idling, and reducing crop transpiration through regulated deficit irrigation were not quantified in the ROD estimates. (See Box 2-4 for discussion of regulated deficit irrigation.)

In the Colorado River Hydrologic Region, water use efficiency measures are being driven by the Quantification Settlement Agreement. QSA projects will reduce irrecoverable flows by 67,700 AFY at a

cost of \$135.65 million by lining the All-American Canal and by 26,000 AFY (at a cost of \$83.65 million) by lining the Coachella Branch Canal, for a total of 93,700 AFY (CALFED, 2000b).

Under the QSA, agricultural water use efficiency measures adopted by the Imperial Irrigation District (IID) by 2026 will result in a reduction in delivery of Colorado River water to IID of 487,200 AFY (inclusive of 67,700 AFY reductions from the All-American Canal lining). The 26,000 AFY Coachella Branch Canal lining is subtracted from the Coachella Valley Water District use. However, CVWD will receive conserved water from IID, and over the term of the QSA, its overall consumptive use will increase by 77 thousand acre-feet per year (TAFY) by 2026 and for the duration of the QSA (Secretary of the Interior, et al., 2003, page 13). It should be noted that the IID/Metropolitan Water District of Southern California (MWD) transfer has been fixed at 105 TAFY instead of 110 TAFY. Water conserved under the QSA will not result in new water supplies for California; rather, it provides a portion of the reduction needed for California water users to reduce their use of Colorado River water by 800,000 AFY– from 5.2 to 4.4 MAF per year (DWR, 2009a; Secretary of the Interior, et al., 2003; USBR, 2003).

The 2006 CALFED Water Use Efficiency Comprehensive Evaluation (Comprehensive Evaluation) estimated potential water savings for different projection levels, ranging from 34,000 to 190,000 AFY of irrecoverable water and 150,000 to 947,000 AFY of recoverable water (CALFED, 2006). These estimates were for different projection levels, based on costs ranging \$15 million to \$40 million annually (Table 2-2). The cost is for implementation of efficiency measures that are not locally cost-effective regardless of who funds the implementation. It is also assumed that implementation of all locally cost-effective efficiency measures are and will continue to be paid by local agencies and growers. The analysis also provided the maximum water savings achievable at the field and district levels if cost were no barrier. Water savings at this projection level (PL) is called technical potential (Projection Level 6 or PL-6). Technical potential was defined as the savings resulting from 100 percent adoption of all agricultural water use efficiency actions/measures statewide, and assumed that all technically demonstrated practices would be implemented regardless of cost. The technical potential or PL-6 water savings, at an estimated cost of \$1.6 billion, are 1.8 MAF per year irrecoverable water savings and 4.3 MAF per year recoverable water savings. PL-6 was determined to be unrealistic both with respect to State's ability to provide such large funds and level of water savings, and impractical (see Box 2-5). PL-6 represents a perfect irrigation system and management performance not attainable in production agriculture. The analysis also indicates the potential for additional water savings of 142,000 AF annually from regulated deficit irrigation (independent of projection levels). Figure 2-1 presents average and incremental costs per acre-foot of irrecoverable flows for all projection levels in this study. The Comprehensive Evaluation estimated water conservation based on on-farm hardware and irrigation management improvements and district improvements. The study did not include potential savings in the Colorado River Hydrologic Region that are already committed to and funded by efficiency conservation water transfer agreements. Nor, as noted above, will these be included in potential agricultural water use efficiency reductions for the state, because they only account for reductions to meet California's Colorado River water rights.

On-farm water use improvements were analyzed based on natural replacement from lower to higher performing systems over time as well as various funding levels. Water supplier improvements were basementation of efficient water management practices and various funding levels. The potential savings estimated in the Comprehensive Evaluation are based on a set of specific assumptions about the distribution and effective use of investments in agricultural water use efficiency (CALFED, 2006). The cost information in Table 2-2 represents the investment in water use efficiency actions beyond the

estimated locally cost-effective actions.

A July 2009 report from the Pacific Institute, “Sustaining California Agriculture in an Uncertain Future,” is another analysis to quantify agricultural water savings (Cooley, et al., 2009). The report estimates potential water savings from 1) efficient irrigation technologies, 2) improved irrigation scheduling, and 3) regulated deficit irrigation, under three statewide hydrologic scenarios, i.e., wet, average, and dry year conditions. The total potential water savings range between 4.5, 5.5, and 5.9 MAF per year for wet, average, and dry years respectively. The report does not separate its quantitative estimates between recoverable and irrecoverable water savings, thus the potential water savings are applied water savings only.

A recent effort resulted in an additional analysis to quantify water savings for projection levels 150 and 500, when investment level is \$150 million or \$500 million annually, respectively (personal communication with the author of the 2006 “Water Use Efficiency Comprehensive Evaluation” between October and December 2009). The PL-150 and PL-500 are above projection level of \$30 million and below PL-6 (technical potential) for \$1.6 billion. The additional analysis shows that there could be 620 to 888,000 AF of water savings (reduction of irrecoverable flows) from implementation of not locally cost-effective efficiency measures at an annual cost of \$150 and \$500 million respectively. For PL-500, the incremental cost is estimated to be \$674 per acre-feet of water savings. The annual costs are for both on-farm and district level efficiency improvements. Figure 2-1 shows average and incremental cost estimates per acre-foot of reduction in irrecoverable flows for all projection levels.

DWR has made the determination to present in California Water Plan Update 2009 for the purpose of planning and development of implementation programs a more realistic, though ambitious, analysis (compared to technical potential) and include PL-500, calling for annual investment of \$500 million and associate annual water savings of 888,000 AF.

The estimates of agricultural water efficiency savings presented for Water Plan Update 2009 are based on agricultural water supplies that were available during the past decade or more—before the recent reduction in water deliveries to Central Valley agriculture resulting in fallowing of about 500,000 acres of irrigated land (personal communication with Wastelands Water District and Delta Mendota Water Authority). Future agricultural water savings may be lower because the estimates did not consider the reduced water deliveries and reduced irrigated land. This is a factor that should be considered for California Water Plan Update 2013.

Water Supplier Water Use Efficiency

Water use efficiency estimates at the water supplier level are based on cost and performance of supplier management changes and infrastructure improvements. A regional baseline of water supplier improvements was developed by CALFED based on water availability and knowledge of local delivery capabilities and practices. In addition, it was assumed that all locally cost-effective efficient water management practices would be implemented. The initial investment for improvements was allocated for management changes that provide an improved level of delivery service—mainly through additional labor and some system automation. Higher levels of water supplier delivery system performance would be achieved through infrastructure improvements such as regulating reservoirs, canal lining, additional system automation, and spill prevention.

At the water-supplier level, most benefits may occur as a result of managing recoverable flows through return flows and spill recovery systems. However, since recoverable flows, especially surface return flows, are typically being used by downstream farming operations, the location of the water diversion in the basin is critical for determining if implementing a water use efficiency measure would adversely reduce the supply of downstream agricultural water users. Consequently, many consider the reduction of irrecoverable flows (or net water use) a better estimate of potential agricultural water use efficiency.

On-Farm Water Use Efficiency

On-farm water use efficiency estimates are based on cost and performance information for feasible irrigation systems. Depending on crop type, irrigation systems can include various forms of unpressurized surface irrigation (furrow and border strip), and pressurized irrigation systems (variety of sprinkler and drip). The performance of any irrigation system also depends on how well it is managed. For a given crop, the irrigation system and management will determine the water use characteristics—how much of the applied water is used beneficially and how much is irrecoverable. Irrecoverable flows include those to transpiration, saline sinks, and non-beneficial evaporation. Recoverable flows encompass surface runoff and deep percolation to usable water bodies. The recoverable flow results are based on the QOs that express instream flow needs for Bay-Delta tributaries. It is important to note that the assumption that all recoverable flows may end up benefiting instream flows may not be valid. Much of efficiency improvements may increase water use as a result of larger plants, higher yields, and increased irrigated acreage. Although recoverable and irrecoverable flow reductions are reported separately for on-farm and water suppliers, it is not appropriate to assign benefits solely to on-farm or water suppliers due to the strong connection between on-farm recoverable flows and water supplier efficiency improvements. See also Box 2-6, Inter-relation between On-farm and Regional Efficiencies and Role of Water Reuse.

A primary environmental benefit of water use efficiency actions is the improvement in aquatic habitat through changes in instream flow and timing. Additional benefits may include water quality improvements by reducing water temperature, subsurface drainage flows, and reducing contaminant loads. Growers may reduce pumping costs and may provide and/or receive water quality benefits by complying with pollutant reduction rules under the State's total maximum daily load requirements (TMDL). However, depending on the timing of flow changes, improvements in water use efficiency can cause negative environmental effects, such as reduced runoff to downstream water bodies and increased concentration of pollutants in drain water unless the drainage water contaminants (such as selenium) are isolated and properly disposed of. The QOs flows represent the aggregate instream Bay-Delta watershed flow needs that can potentially be met through water use efficiency actions. When comparing the recoverable flows to the QOs flows and TBs, it is important to remember that the instream flow needs are location and time specific—thus an acre-foot to acre-foot comparison is not appropriate.

California's Major Water Use Efficiency Efforts

Beginning in 2000, the State has implemented several cycles of loan and grant programs for water use efficiency improvements. The funds have been through successive competitive proposal solicitation packages (PSP) for projects on a cost-sharing basis for water use efficiency projects that may not be locally cost-effective. The grant cycles are summarized in Table 2-3.

Analysis is under way to quantify water savings from Prop. 50 grant cycles in 2004 and 2007. It is anticipated that this analysis will be accomplished upon completion of all projects by 2011-12. These

projects had more defined monitoring and verifications requirements to quantify outcomes and results. One difficulty in such an analysis is that grantees report a real water savings along with applied water reduction figures. Quantification of outcomes from previous grant cycles (SB 23 and Prop. 13 cycles) have proved more difficult since those grant cycles did not have extensive monitoring and verification efforts built into the projects.

Major Issues Facing Agricultural Water Use Efficiency

Funding

Funds dedicated to water use efficiency have fallen below estimates of the 2000 CALFED ROD that called for an investment of \$1.5 billion to \$2 billion from 2000 to 2007. The CALFED ROD stated that State and federal governments would fund about 50 percent (25 percent each), with local agencies paying for the remaining 50 percent of CALFED water use efficiency activities. To put funding shortfall in perspective, as shown in Figure 2-2, for the 10-year period from 2000 through 2009, the total funding for agricultural water use efficiency projects has been \$26.2 million. This constitutes a \$2.6 million expenditure annually compared to \$214 million to 285 million annually, 0.1 percent of funds envisioned by CALFED. Prop. 84 Integrated Regional Water Management grants provided a one-time \$10 million grant for agricultural water use efficiency projects. If voters approve The Safe, Clean, and Reliable Drinking Water Supply Act of 2010 (legislative initiative SBx7 2) in the November 2010 general election, it is anticipated that the act will provide a total of \$125 million for agricultural water use efficiency projects. Again, this is a one-time allocation and will constitute no more than 1.5 percent of \$150 million annual cost to the State to achieve estimated water savings.

Although the need is great, small and disadvantaged communities may not be able to apply for State and federal grants since they have limited funds. In addition, such water suppliers rarely have the technical and financial abilities to develop plans or implement expensive water management practices. During the last two Prop. 50 water use efficiency grant cycles, DWR has made significant efforts, and will continue to do so with the agricultural water use efficiency 2008 grant cycle, to provide technical and financial assistance to disadvantaged communities. SBx7 7, passed in the 2009-2010 legislative session, requires DWR, in the allocation of funding, to give consideration to disadvantaged communities.

For some water suppliers, funding for water use efficiency comes from the ability to transfer water, such as in the Colorado River region. While transfers to urban areas may reduce the amount of water available to grow crops, they are expected to play a significant role in financing future water use efficiency efforts.

Implementation

Implementation of agricultural water use efficiency depends on many interrelated factors. Farmers strive to optimize agricultural profits per unit of land and water without compromising agricultural economic viability, water quality, or the environment. Success depends not only on availability of funds but also on technical feasibility and cost-effectiveness, availability of technical assistance, and ability and willingness of growers, the irrigation industry, and water suppliers. Other factors such as soils and topography, microclimate, markets, etc., play important roles as well. Implementation of efficiency measures requires consideration for crops grown, groundwater and/or surface water availability, and water quality within each geographic area. Opportunities exist to implement efficiency measures beyond efficient water management practices to provide water quantity, water quality, flow and timing, energy efficiency, and

other benefits to the growers and local water suppliers and to provide regional or statewide benefits. Comprehensive implementation of efficiency measures must, to the extent possible, include multi-purpose and multi-benefit projects.

Regulated Deficit Irrigation

Reducing ET requires precise application of water. Stressing crops through regulated deficit irrigation (RDI) is one approach that requires careful scheduling and application of water and may have additional costs and adverse impacts on crop quality or soil salinity. RDI long-term studies are underway and results differ by crop, location, and year. (See also Box 2-5 for discussion of regulated deficit irrigation.)

Water Rights

Many growers and irrigation districts are concerned about existing and potential water use efficiency legislation and believe that implementing efficiency measures could affect their water rights. They believe that conserved water may be used by others, causing a loss of rights to the conserved water. This belief may impede implementation of water use efficiency strategies. It should be noted that the water rights of agencies implementing efficiency measures have been protected. One example is the conservation efforts of IID (funded by MWD) that resulted in water being transferred to urban uses, [while IID's water rights are protected](#).

Climate Change

Mitigation

Adaptation

One of the most critical impacts for California water management may be the projected reduction in Sierra Nevada snowpack—California's largest surface "reservoir." Snowmelt currently provides an annual average of 15 MAF of water, slowly released between April and July each year. Much of the state's water infrastructure was designed to capture the slow spring runoff and deliver it during the drier summer and fall months. Based upon historical data and modeling, DWR projects that the Sierra snowpack will experience a 25 to 40 percent reduction from its historical average by 2050. Climate change is also anticipated to bring warmer storms that result in less snowfall at lower elevations, reducing the total snowpack (DWR, 2008, 2009b).

This change is a major challenge to sustainability of agriculture. The results of climate change model analysis indicate that the most likely scenario is reduced snowpack and increased rainfall amount. Also, higher levels of temperature, an important component of evapotranspiration, accompanied with higher levels of greenhouse gas (GHG), such as carbon dioxide (CO₂), which is an important component of photosynthesis, more likely will increase water use resulting in increased biomass and yields.

Energy and Water Relationship

The relationship between water use efficiency and energy use/carbon footprint is complex and needs to be thoroughly studied and understood. Improved agricultural water use efficiency may or may not help to reduce energy use—and thus reduce GHG. This is because of the complex relationship between GHG emissions, the use of energy (use of natural gas and the use of fossil fuel), and efficient use of water. It appears that decreased use of one resource, through implementation of efficiency measures, increases the

use of another resource, which may neutralize or greatly impact net outcome, and often has more overall adverse effects than intended or desired. Not enough studies and research have been conducted to quantify the relationship between agricultural water use efficiency and energy use.

On-farm and water supplies water use efficiency improvements often require additional energy. Conversion of furrow irrigation to drip or sprinkler would require significant energy, even though growers and/or water suppliers may pump less water, which then may reduce energy use. Yet, the overall result of such efficiency practices may be a net increase of energy use. Water supplier infrastructure improvements often affect upstream-downstream water use, and the increasing use of pressurized irrigation systems by growers requires the use of additional energy resources such as electricity, gas, and diesel. Pressurized systems also require pipelines, pumps, filters and filtration systems; chemicals for cleaning drip systems; and replacement and disposal of the hardware after its useful life. Consequently, significant additional energy is required for manufacturing of pipelines, pumps, filters and filtration systems, chemicals, replacement and disposal of the hardware. Likewise, pressurized irrigation systems will need energy to produce required pressure in the pipelines for irrigation. Such additional energy will significantly increase GHG contributing to climate change. Water use efficiency efforts not only increase energy use, but also often shift use of energy and resources to other parts of the production system. Within the agricultural setting, the net impact of reduced water use and increased water use efficiency on the energy use and consequently on net carbon footprint, water footprint, and GHG emissions calls for study and quantification of such impacts.

Other Implementation Issues

Other water use efficiency implementation issues that need to be evaluated include 1) concerns over groundwater impacts, overdraft, and loss of recharge, 2) increase in the vulnerability of trees and vines to hardening of demand, and 3) unpredictability of changing climate. Climate change is expected to impact water use since rising temperatures will result in higher ET and higher crop water use requirements.

Measurement and Evaluation

Lack of data, mainly farm-gate irrigation water delivery data, is an obstacle for assessing irrigation efficiencies and planning further improvement. The State lacks comprehensive statewide data on cropped area under various methods of irrigation, applied water, crop water use, irrigation efficiency, water savings, and the cost of irrigation improvements per unit of saved water. Collection, management and dissemination of data to growers, water suppliers, and water resource planners are necessary for promoting increased water use efficiency. A concern identified by some members of the California Water Plan Advisory Committee is a lack of statewide guidance to assist regions and water suppliers to collect the data needed for future Water Plan updates in a usable format.

The Independent Panel on the Appropriate Measurement of Agricultural Water Use convened by CBDA made specific recommendations for measurement of water supplier diversions, net groundwater use, crop water consumption, and aggregate farm gate deliveries (Independent Panel, 2003). In addition, the panel recommended increased efforts to measure water quality, return flows, and streamflow. As a result, AB 1404 (Water Measurement Information) was signed into the California Water Code, requiring agricultural water suppliers to submit water use measurement reports to DWR. Agricultural water suppliers supplying 2000 or more acre-feet of surface water annually for agricultural uses or serving 2000 or more acres of agricultural lands are required to submit the report. The law requires these suppliers to submit annually a

report that includes aggregated farm-gate delivery data on a monthly or bimonthly basis. Farm-gate delivery data is the volume of water delivered from the supplier's distribution system to its customers, measured at the point where the water is delivered. DWR is in the process of developing the report format and schedule.

Education and Training

Improving agricultural water use efficiency depends on disseminating information on the use, costs, benefits, and impacts of technologies and on providing incentives for implementation. Existing evidence, although limited, indicates a strong response to financial incentives. In addition, while the Water Code provides certain water rights protections and incentives to conserve water, reaffirming and reinforcing such mechanisms could significantly improve results statewide. Education and training programs can emphasize the potential benefits and risks of efficiency improvements; for example, soil sustainability from a salinity stand point, energy impacts and so forth.

Dry-Year Considerations

In dry years, California's water supply is inadequate to meet its current level of use, and agriculture often is faced with a reduction in water deliveries. Growers are compelled to reduce irrigated acreage to cope with the lack of water and implement extraordinary water use efficiency or even land fallowing. While agricultural water suppliers deal in a variety of ways with water shortages and droughts, there is a need for an agricultural drought guidebook.

Recommendations to Achieve More Agricultural Water Use Efficiency

The following recommendations can help facilitate more agricultural water use efficiency:

Funding

1. The State should identify and establish priorities for grant programs and other incentives. This should include a process for quantifying and verifying intended benefits of projects receiving State loans and grants. Priority funding may be for technical, planning and financial assistance to improve water use efficiency including implementation, monitoring, and reporting of certain programs for specific geographic areas of the state, or priority funding for projects that are not only cost-effective efficient water management practices (EWMPs), but also are part of the Integrated Regional Water Management Plans. Likewise, projects that include clear and well defined Targeted Benefits (including water quality, flow and timing, energy conservation, and overall environmental benefits) may be given high priority.
2. The State should cooperate with a broad section of the agricultural community, including representatives of small farms and disadvantaged farmers and communities, to fund research, development, demonstration, monitoring and evaluation projects that improve cost-effective agricultural water use efficiency and support programs that encourage the development of new cost-effective water savings technologies and practices. In the case of reduced deficit irrigation (RDI), research is needed to evaluate the level of current practices, extent of implementation of these practices, and quantification of RDI benefits and short and long-term impacts of RDI on plant longevity and productivity.
3. State loans and grants should provide ample opportunities for small water suppliers and economically disadvantaged communities, Tribes, and not-for-profit community-based organiza-

tions to benefit from technical assistance, planning activities, and incentive programs based on environmental justice policies. The Agricultural Water Management Planning Act in SB7x 7 requires DWR, when allocating loan and grant funds, to give special consideration to disadvantaged communities.

4. The State should provide additional funding for long-term evapotranspiration (ET) reduction (regulated deficit irrigation, mulch, alfalfa dry down, etc.) demonstration and research plots and fund other promising programs to reduce ET.

Implementation

5. DWR and the Department of Food and Agriculture, in cooperation with the Agricultural Water Management Council, should develop Targeted Benefits specific to different hydrologic regions of California. Targeted Benefits include improvements in water quality, flow and timing, and energy conservation.
6. The Agricultural Water Management Council should continue to incorporate Targeted Benefits within the agricultural water management planning and implementation process, where applicable, in addition to quantifying other benefits of improved water efficiency, including water supply.
7. The Agricultural Water Management Council should continue to encourage more water suppliers to sign the Memorandum of Understanding to broaden its base of support. The Council should seek the support of State and local agencies, as articulated in the MOU, for full implementation of efficient water management practices by signatories and encourage the addition of new efficient practices as benefits are identified.
8. The State should clarify policy and improve incentives, assurances, and water rights protections to allay fears over the loss of water rights resulting from improved water use efficiency.
9. The State should verify and clarify in its programs, especially loans and grant programs, that efforts to conserve water do not alter water rights.
10. DWR in cooperation with the Department of Food and Agriculture and other State agencies should implement the provisions of SBx7 7 regarding review of agricultural water management plans, preparation of required reports to the Legislature, and evaluation of and updating of agricultural efficient water management practices.
11. DWR should develop, in consultation with the State Water Board, the California Bay-Delta Authority or its successor agency, the California Department of Public Health, and the Public Utilities Commission, a single standardized water use reporting form to meet the water use information needs of each agency.
12. DWR should develop, in cooperation with the State's educational institutions, the State Water Board, the Department of Food and Agriculture, Agricultural Water Management Council, and other stakeholders, a methodology and criteria for evaluation and quantification of agricultural efficiency improvements by crop types or by quantification of on-farm irrigation system distribution uniformity improvements. This may be achieved through establishment of mobile labs for evaluation of irrigation system distribution uniformity.
13. DWR should develop, in cooperation with the State Water Board, Department of Food and Agriculture, and stakeholders, a standard form that agricultural water suppliers can use to provide monthly farm aggregate water deliveries.

Data Measurement and Evaluation

14. DWR should create a statewide system of water use monitoring data available to all users.

15. The State should expand water-efficiency information, evaluation programs, and on-site technical assistance provided through agricultural extension services and other agricultural outreach efforts.
16. The State should improve online data collection and dissemination networks to provide farmers with immediate meteorological and hydrological information on climate, soil conditions, and crop water needs.
17. The State should collect, manage, and disseminate statewide data on the cropped area under various irrigation methods, amount of water applied, crop water use, and the benefits and costs of water use efficiency measures. The State should also develop statewide guidance to assist regions and water suppliers to collect the type of data needed in a form usable for future Water Plan Updates. DWR and the Department of Food and Agriculture should work with the Agricultural Water Management Council to develop a database of information from the water management plans on water use-related data, and information generated from implementation of AB 1404. AB 1404 requires water suppliers to report to DWR aggregate farm-gate delivery data on a monthly or bimonthly basis, for dissemination and use in the Water Plan Update. DWR should work with CALFED Bay-Delta Authority to implement the recommendations of the Independent Panel on the Appropriate Measurement of Agricultural Water Use.
18. The State should cooperate with the agricultural community to develop methods to quantify water savings and costs associated with hardware upgrades, water management, and ET reduction projects identified in this strategy.
19. The State should incorporate in its definitions of “efficiency measures”, and “cost-effectiveness” ownership and operating costs, including labor, energy, and cost of maintenance.
20. The State should develop performance measures for water use efficiency goals and inform the public and stakeholders of accomplishments toward those goals. These performance measures should be updated to reflect new findings and changing conditions.
21. DWR in cooperation with the Department of Food and Agriculture should establish an on-farm irrigation system evaluation program, such as mobile labs, statewide. The irrigation system evaluation program provides valuable assistance to growers to further improve the performance of their irrigation systems.
22. Using data and information from on-farm efficiency improvements, as collected by mobile labs, DWR should quantify changes in irrigation system distribution uniformity improvements. The data also can help to quantify on-farm and regional efficiency and quantify improvements.
23. DWR should prepare reports on the results of efficiency improvements in irrigation systems to the Legislature and the public.

Education and Training

24. Expand CIMIS (including the use of remote sensing technology, satellite imagery, etc.) mobile laboratory services and other training and education programs to improve distribution uniformity, irrigation scheduling, and on-farm irrigation efficiency, as well as improvements in pumping system efficiencies, remote control technologies and telemetry, canal automations, flexible water delivery systems, and irrigation system design.
25. Based on long-term ET reduction studies and research, DWR should develop informational guidelines that define the crop water consumption reduction practices, identify how they can be implemented for each crop, and estimate the potential crop benefits and impacts, water savings, and costs for growers and water suppliers.

26. Develop community educational and motivational strategies for conservation activities to foster water use efficiency, with the participation of agricultural and water industries and environmental interests. Develop partnerships with State, federal, UC Cooperative Extension Service, farm advisors, irrigation specialists, and State educational and research institutions to provide educational, informational, and training opportunities to growers, water supplier staff, and others on the variety of available water and irrigation management practices, operations, and maintenance techniques.
27. Increase State partnership with other entities. The State should explore and identify innovative technologies and techniques to improve water use efficiency and develop new water use efficiency measures based on the new information. Consider fast-track pilot projects, demonstrations, and model programs exploring state-of-the-art water saving technologies and procedures, and publicize the results widely. Foster closer partnership among growers, water suppliers, irrigation professionals, and manufacturers who play an important role in research, development, manufacturing, distribution, and dissemination of new and innovative irrigation technologies and management practices.
28. Initiate State collaboration with county governments to offer tax credits for installation of more efficient irrigation systems.
29. Incorporate a comprehensive educational, informational, and awareness element regarding sustainability of consumption of local products in the water use efficiency programs for growers, water suppliers, post-harvesting processors, consumers, and others. Encourage reduction of long distance transportation of commodities and importation of commodities and thus, reduce energy use and greenhouse gas emissions.

Dry-Year Considerations

30. The Agricultural Water Management Council, in cooperation with DWR, the Department of Food and Agriculture, and others, should compile measures currently in use by growers and water suppliers to deal with water shortages and droughts and develop a comprehensive agricultural drought guidebook as a storehouse of information and procedures for drought mitigation, including new and innovative methods.
31. Review and adopt standard water use efficiency approaches to meet water needs during dry years. New approaches should be explored such as alfalfa summer dry-down and regulated deficit irrigation to cope with water shortages.
32. Drought water management should be fully incorporated in agricultural water management plans.

Department of Water Resources' Near-Term Core Programs

- A. Develop a procedure to determine agricultural water suppliers' eligibility for loans and grants effective January 1, 2009. (This work involves implementation of a similar process that is currently underway for eligibility for loans and grants for urban water suppliers under provisions of AB 1420).
- B. Develop, in consultation with the State Water Board, the Department of Food and Agriculture, State Department of Public Health, and Public Utility Commission, a single standardized water use reporting form to be used by agricultural water suppliers for reporting water use data and information, and to meet water use information needs of each agency's methodology.

- C. Promote, in consultation with the State Water Board, implementation of regional water resource management practices through increased incentives and removal of barriers consistent with State and federal law. Potential changes may include:
 - 1) revisions to the requirements of integrated water management plans; 2) revisions to the eligibility for State water management grants and loans; 3) increased funding for research, feasibility studies, and project construction; and 4) expanding technical and educational support for local land use and water management agencies.
- D. Develop, in consultation with the Department of Food and Agriculture and Agricultural Water Management Council, academic experts, and other stakeholders, a methodology for quantifying the efficiency of agricultural water use. Alternatives shall include determination of efficiency levels based on crop types or irrigation system distribution uniformity.
- E. Develop a plan for implementation of (d) above, with associated costs and identifying the type of data needed to be collected and data needed to support the methodology, and report to the Legislature.
- F. Report to the Legislature, by December 31, 2011, on the proposed methodology ((d) above) and a plan for implementation. The plan will include the estimation of implementation costs and the types of data needed to support the methodology.
- G. Make all submitted agricultural water management plans available for public inspection on DWR's Web site.
- H. Prepare and submit to the Legislature reports summarizing the status of the Agricultural Water Management Plans and adoption by the agricultural water suppliers. These reports shall be prepared on or before December 2013 and in years ending with six and years ending with one.
- I. Prepare reports and provide data for any legislative hearing designed to consider the effectiveness of plans.

Agricultural Water Use Efficiency in the Water Plan

[Authors, this is a new heading for Update 2013. If necessary, this section will discuss the ways the resource management strategy is treated in this chapter, in the regional reports and in the sustainability indicators. If the three mentions aren't consistent, the reason for the conflict will be discussed (i.e., the regional reports are emphasizing a different aspect of the strategy). If the three mentions are consistent with each other (or if the strategy isn't discussed in the rest of Update 2013), there is no need for this section to appear.]

References

[Authors, for Update 2013, the "References" section will have the following subheadings: "References Cited" (for references that have in-text citations), "Additional References" (for additional materials that either the author consulted but did not cite or that readers may appreciate generally), and "Personal Communications" (for personal communications that you have documented using the form for that purpose; if you have not documented such communications, just use attribution in the narrative and do not include an entry in the bibliography). For now, the references provided for Update 2009 have been placed under the "References Cited" subhead. If they are no longer cited in the text after the text has been updated for 2013, place them under the "Additional References" subheading instead or delete them altogether. In general, legal references (statutes, codes, acts, etc.) do not need to be included within this section and can instead be described within the narrative above. Additional guidance on references and

citations is contained within California Water Plan Update 2013: Publications Process and Style Guide, available from volume leads.]

References Cited

- [AB 1404]. Water Measurement Information. Statutes 2007, chapter 675. Water Code, section 531 et seq. (2007).
- [AB 3616]. Agricultural Water Suppliers Efficient Water Management Practices Act of 1990. Water Code, sections 10900-10904 (1990).
- Association of California Water Agencies. [Internet]. 2009. Sacramento (CA): Association of California Water Agencies. [cited: 2009 Dec]. Available at: <http://www.acwa.com/>
- [AWMC]. AB 3616 Advisory Committee. 1999. Memorandum of Understanding regarding efficient water management practices by agricultural water suppliers in California. [Established the Agricultural Water Management Council]. Sacramento (CA): Agricultural Water Management Council. 87 p. Available at: <http://www.agwatercouncil.org/General/Administrative-Documents/menu-id-49.html>
- [AWMC]. Agricultural Water Management Council. [Internet]. 2009. Sacramento (CA): Agricultural Water Management Council. [cited: 2009 Dec]. Available at: <http://www.agwatercouncil.org/>
- Burt, CM; Mutziger, A; Howes, D; Solomon, K. 2002. Evaporation from irrigated agricultural land in California. San Luis Obispo (CA): Irrigation Training and Research Center, California Polytechnic State University. 478 p.
- [CALFED]. CALFED Bay-Delta Program. 2000a. Programmatic Record of Decision (ROD). Sacramento (CA): CALFED Bay-Delta Program. 846 p. Available at: <http://bibpurl.oclc.org/web/752>
- [CALFED]. California Bay-Delta Program. 2000b. Water use efficiency program plan. Programmatic EIR/EIS technical appendix. Sacramento (CA): California Bay-Delta Authority. 29 p. Available at: http://calwater.ca.gov/calfed/library/Archive_EIS.html
- [CALFED]. California Bay-Delta Program. 2006. Water Use Efficiency Comprehensive Evaluation. CALFED Bay-Delta program water use efficiency element. Final Report. Sacramento (CA): California Bay-Delta Authority. 157 p. Available at: http://www.calwater.ca.gov/content/Documents/library/WUE/2006_WUE_Public_Final.pdf
- California Department of Water Resources. Agricultural Water Use Efficiency Program, Office of WUE. [Internet]. 2009c. Sacramento (CA): California Department of Water Resources. [cited: 2009 Dec]. Available at: www.owue.water.ca.gov/finnance.cfm
- California Department of Water Resources. Grants and Loans. [Internet]. 2009d. Sacramento (CA): California Department of Water Resources. [cited: 2009 Dec]. Available at: <http://www.grantsloans.water.ca.gov/>

- California Energy Commission. Consumer Energy Center. [Internet]. 2009. Sacramento (CA): California Energy Commission. [cited: 2009 Dec]. Available at: <http://www.consumerenergycenter.org/>
- California Farm Water Coalition. [Internet]. 2009. Sacramento (CA): California Farm Water Coalition. [cited: 2009 Dec]. Available at: <http://www.farmwater.org>
- California Irrigation Management Information System (CIMIS). [Internet]. 2009. Sacramento (CA): California Irrigation Management Information System. [cited: 2009 Dec]. Available at: www.cimis.water.ca.gov
- California Polytechnic State University. Irrigation Training and Research Center. [Internet]. 2009. San Luis Obispo (CA): California Polytechnic State University. [cited: 2009 Dec]. Available at: <http://www.itrc.org>
- California State University, Fresno. Center for Irrigation Technology (CIT). [Internet]. 2009. Fresno (CA): California State University, Fresno. [cited: 2009 Dec]. Available at: www.atinet.org/newcati/cit
- California Urban Water Conservation Council. [Internet]. 2009. Sacramento (CA): California Urban Water Conservation Council. [cited: 2009 Dec]. Available at: www.cuwcc.org
- Central Valley Flood Protection Act of 2008. SB 5. Statutes 2007, chapter 364. Water Code, section 9600 et seq. (2007).
- Cooley, H; Smith, JC; Gleick, P. 2009. Sustaining California agriculture in an uncertain future. Oakland (CA): Pacific Institute. 81 p. Available at: www.pacinst.org/reports/california_agriculture
- [CVPIA]. federal Central Valley Project Improvement Act of 1992. H.R. 429. Public Law 102-575. 44 Code of Federal Regulations part 3401 (1992).
- [DWR]. California Department of Water Resources. 1993. California water plan update 1993. 2 v. Sacramento (CA): California Department of Water Resources. Available at: <http://www.waterplan.water.ca.gov/previous/b160-93/TOC.cfm>
- [DWR]. California Department of Water Resources. 1998. California water plan update 1998. 2 v. Sacramento (CA): California Department of Water Resources. Available at: <http://www.waterplan.water.ca.gov/previous/b160-98/TOC.cfm>
- [DWR]. California Department of Water Resources. 2008. Managing an uncertain future. Sacramento (CA): California Department of Water Resources. 30 p. Available at: <http://www.water.ca.gov/climatechange/docs/ClimateChangeWhitePaper.pdf>
- [DWR]. California Department of Water Resources. 2009a. Chapter 11, Colorado River Hydrologic Region. California water plan update 2009. Sacramento (CA): California Department of Water Resources. (California Water Plan; Volume 3).

- [DWR]. California Department of Water Resources. California Climate Change Portal. [Internet]. 2009b. Sacramento (CA): California Department of Water Resources. [cited: 2009 Dec]. Available at: <http://www.climatechange.ca.gov>
- Imperial Irrigation District. Agreements with the Federal Government and Southern California Agencies. [Internet]. 2009. Imperial (CA): Imperial Irrigation District. [cited: 2009 Dec]. Available at: http://iid.com/Water_Index.php?build=view&idr=3290&pid=3261
- [Independent Panel]. Independent panel on appropriate measurement of agricultural water use. Convened by the California Bay-Delta Authority. 2003. Final Report on the Definition of Appropriate Agricultural Water Use Measurement. Final Report. 2003 Sep. Sacramento (CA): California Bay-Delta Authority. 73 p. Available at: http://www.calwater.ca.gov/calfed/library/Archive_WUE.html
- Orang, M; Matyac, S; Snyder, R. 2008. Survey of irrigation methods in California in 2001 (technical note). Journal of Irrigation and Drainage Engineering. 134(1):96-100.
- [Prop. 13]. Safe Drinking Water, Clean Water, Watershed Protection, and Flood Protection Bond Act. Legislative initiative (AB 1584) passed by voters. Statutes 1999, chapter 725. Water Code, section 79000 et seq. (2000).
- [Prop. 204]. Safe, Clean, Reliable Water Supply Act. Bond Act. Legislative initiative (SB 900) passed by voters. Statutes 1996, chapter 135. Water Code, sections 13459.5, 14058, 78500 - 78702 (1996).
- [Prop. 50]. Water Security, Clean Drinking Water, Coastal and Beach Protection Act of 2002. Legislative initiative (AB 1473) approved by voters. Statutes 2002, chapter 618. Water Code, section 79500 et seq. (2002).
- [SB 23]. CalFED funds: Bay-Delta Program. Statutes 2001, chapter 7. Water Code, section 138.9 (2001).
- [SBx7 2]. Safe, Clean, and Reliable Drinking Water Supply Act of 2010. Passed by the Legislature and signed by the Governor. Bond bill must be submitted for approval by voters in the November 2010 election (as a proposition). Statutes 2009-10 Seventh Extraordinary Session, chapter 3. (2009).
- [SBx7 7]. Agricultural Water Management Planning Act. Statutes 2009-10 Seventh Extraordinary Session, chapter 4. Water Code, section 10800 (2009).
- Secretary of the Interior; IID; CVWD; MWD; SDCWA. 2003. Colorado River Water Delivery Agreement: Federal Quantification Settlement Agreement for purposes of Section 5(B) of Interim Surplus Guidelines. Washington (DC): US Department of the Interior. 14 p. Available at: <http://www.iid.com/Media/Colorado-River-Water-Delivery-Agreement.pdf>
- Solomon, KH; Davidoff, B. 1999. Relating unit and sub-unit irrigation performance. American Society of Agricultural Engineer. 42(1):115-122.

US Department of Agriculture. Natural Resources Conservation Services. [Internet]. 2009. Washington (DC): US Department of Agriculture. [cited: 2009 Dec]. Available at: <http://www.nrcs.usda.gov/>

[USBR]. US Bureau of Reclamation. 2003. Colorado River Water Delivery Agreement Documents - October 2003. **[Internet]**. Washington (DC): US Bureau of Reclamation. [cited: 2009 Dec]. Available at: <http://www.usbr.gov/lc/region/g4000/crwda/index.htm>

Washington (DC): US Department of Agriculture. [cited: 2009 Dec]. Available at: <http://www.ars.usda.gov/main/main.htm>

WaterReuse Association. [Internet]. 2009. Alexandria (VA): WaterReuse Association. [cited: 2009 Dec]. Available at: <http://www.watereuse.org/>

Additional References

Personal Communications

The text below is for publications staff use only. This text will not appear in the final version of this document.

Publications staff: Acronyms and abbreviations will be presented for each chapter individually. References for citations will appear within each chapter, as well. Use the lists below to create acronym tables for each chapter, generate tables of contents, and crosscheck information within the text.

Right-click in the field and then select “Update Field” and “Update Entire Table.”

Table of Contents

This is set up to generate a list of all text styled as “Update 2013 heading 1” through “Update 2013 heading 5.” It can be modified to collect any styles you want. You may change what it gathers by selecting the line of text below; right-clicking; and choosing Edit Field, Table of Contents, Options.

Chapter 2. Agricultural Water Use Efficiency	2-1
Agricultural Water Use Efficiency Efforts in California	2-1
Hardware Upgrades	2-4
Water Management.....	2-10
Reducing Evapotranspiration (ET)	2-11
Potential Benefits and Costs of Agricultural Water Use Efficiency.....	2-11
Water Supplier Water Use Efficiency.....	2-13
On-Farm Water Use Efficiency.....	2-14
California’s Major Water Use Efficiency Efforts.....	2-14
Major Issues Facing Agricultural Water Use Efficiency.....	2-15
Funding	2-15
Implementation	2-15
Regulated Deficit Irrigation.....	2-16
Water Rights	2-16
Climate Change	2-16
Energy and Water Relationship	2-16
Other Implementation Issues	2-17
Measurement and Evaluation	2-17
Education and Training	2-18

Dry-Year Considerations	2-18
Recommendations to Achieve More Agricultural Water Use Efficiency	2-18
Funding	2-18
Implementation	2-19
Data Measurement and Evaluation	2-19
Education and Training	2-20
Dry-Year Considerations	2-21
Department of Water Resources' Near-Term Core Programs.....	2-21
Agricultural Water Use Efficiency in the Water Plan	2-22
References	2-22
References Cited	2-23
Additional References.....	2-26
Personal Communications	2-26
<u>Table Mentions</u> This is set up to generate a list of all text marked as a table mention, using the letter T as the table identifier.	
No table of figures entries found.	
<u>Table Titles</u> This is set up to generate a list of all text styled as "Update 2013 table title."	
No table of contents entries found.	
<u>Figure Mentions</u> This is set up to generate a list of all text marked as a figure mention, using the letter F as the table identifier.	
No table of figures entries found.	

Figure Titles

This is set up to generate a list of all text styled as “Update 2013 figure title.”

No table of contents entries found.

Box Titles

This is set up to generate a list of all text marked as a reference to a box, using the letter B as the table identifier.

No table of figures entries found.

Acronyms and Abbreviations

This is set up to generate a list of all text marked as an acronym/abbreviation, using the letter A as the table identifier.

No table of figures entries found.

Citations

This is set up to generate a list of all text marked as a citation, using the letter C as the table identifier.

No table of figures entries found.

Miscellaneous

This is set up to generate a list of all text marked as miscellaneous [river names, region names, or anything else you'd like to gather into a list], using the letter M as the table identifier.

No table of figures entries found.

Glossary

This is set up to generate a list of all text marked as a glossary entry, using the letter Z as the table identifier.

No table of figures entries found.